

**CERTIFICATE OF CORRECTION**

Pg 1079

PATENT NO. : 6,954,951 B2  
APPLICATION NO. : 10/734,874  
DATED : October 18, 2005  
INVENTOR(S) : Lieboff, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing the illustrative figure should be deleted to be replaced with the attached title page.

In the drawing sheets, consisting of Figs. 1-7, should be deleted to be replaced with the drawing sheets, consisting of Figs. 1-7, as shown on the attached pages.



US006954951B2

Pg 2 of 9

(12) **United States Patent**  
**Lieboff et al.**

(10) **Patent No.:** **US 6,954,951 B2**  
(45) **Date of Patent:** **Oct. 18, 2005**

(54) **SPICA CAST GURNEY**

(76) **Inventors:** **Leonard Lieboff**, 10536 Plainview Cir.,  
Boca Raton, FL (US) 33498; **John**  
**DelGardo**, 11769 Preservation La.,  
Boca Raton, FL (US) 33498

(\*) **Notice:** Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

(21) **Appl. No.:** **10/734,874**

(22) **Filed:** **Dec. 12, 2003**

(65) **Prior Publication Data**

US 2005/0125898 A1 Jun. 16, 2005

(51) **Int. Cl.<sup>7</sup>** ..... **A61G 7/075**

(52) **U.S. Cl.** ..... **5/603; 5/604; 5/610; 5/621;**  
**5/624**

(58) **Field of Search** ..... **5/603, 604, 610,**  
**5/621, 624, 648, 650; 128/845**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,035,321 A	3/1936	Koenigkramer et al.	
3,293,667 A	12/1966	Ohrberg	5/610
3,423,773 A	1/1969	Yamate	5/610
3,431,020 A	3/1969	Tyndall	297/467
3,434,165 A	3/1969	Keane	5/608
3,640,520 A	2/1972	Wieland et al.	5/610
3,997,926 A	12/1976	England	5/610
4,059,255 A	11/1977	Perold	

4,361,916 A	12/1982	McDaniel
4,613,997 A	9/1986	Langdale
4,724,554 A	2/1988	Kowalski et al.
4,847,929 A	7/1989	Pupovic
4,865,303 A	9/1989	Hall
4,987,622 A	1/1991	Shockey
5,138,729 A	8/1992	Ferrand
5,303,437 A	4/1994	Hung
5,489,258 A	2/1996	Wohnsen et al.
5,586,349 A	12/1996	Hannant
6,282,736 B1	9/2001	Hand et al.
6,405,393 B2	6/2002	Megown
6,484,332 B2	11/2002	Korver, II et al.

\* cited by examiner



*Primary Examiner*—Michael Trettel

(74) *Attorney, Agent, or Firm*—Stephen Bongini; Fleit,  
Kain, Gibbons, Gutman, Bongini & Bianco P.L.

(57) **ABSTRACT**

A gurney is provided for a patient wearing a spica cast with a fixed bar extending between the legs. The gurney includes a base structure, a platform for holding the patient, and a bar support structure coupled to the platform. The platform is coupled to the base structure and is capable of being in at least one elevated position. The bar support structure supports the bar so as to support the patient when the platform is in the elevated position. In one embodiment, the gurney further includes a motorized elevation variance system coupled between the platform and the base structure for changing the elevated position of the platform, and the platform is rigid so as to always be substantially planar.

**22 Claims, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B

FIG. 5C

FIG. 5D




FIG. 6




FIG. 7






FIG. 8